

# ● PRINTER RUSH ●

## (PTO ASSISTANCE)

Application : <u>09/768414</u>	Examiner : <u>Le</u>	GAU : <u>11041</u>
From: <u>T. McGill</u>	Location: <u>(IDC)</u> FMF FDC	Date: <u>2-8-05</u>
Tracking #: <u>0040538</u>		Week Date: <u>11-15-04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input checked="" type="checkbox"/> 1449	<u>7-27-04</u>	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: 1. PTO 1449 is illegible due to scanning.

2. Continuing Data is listed on Palm/ bio sheet, but missing from specification

Thank You

[XRUSH] RESPONSE: See Attachment

INITIALS: BD

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH. DOC # 464. 10009 ..C 04 2

REV 10/04

02-23-05 W.S.M?

908-226-8200  
ENR Manual